✓605 v.70 pt.1

POWER

GENERAL INDEX TO VOLUME LXX

July 1 to December 31, 1929

INDEX TO POWER
Pages by Issues

July	2	Pages	1-38
"	9	"	39-80
"	16	"	81-118
"	23	"	119-158
"	30	"	159-196
Aug.	6	"	197-236
"	13	"	237-274
"	20	"	275-312
"	27	"	313-358
Sept.	3	"	359-396
"	10	"	397-434
"	17	"	435-472
"	24	"	473-510
Oct.	1	"	511-546
"	8	"	547-586
"	15	"	587-626
"	22	"	627-666
"	29	"	667-706
Nov.	5	"	707-744
"	12	"	745-782
"	19	"	783-818
"	26	"	819-872
Dec.	3	"	873-912
"	10	"	913-952
"	17	"	953-990
"	24	"	991-1026
"	31	"	1027-1064

A

ACCIDENTS AND ACCIDENT PREVENTION — Page

—Accidents to engineers. Arthur L. H. Street 715
—Boiler explosion analyzed *613
—Crossett Arkansas, boiler explosion at. *28
—Crossett explosion, investigators differ as to cause of. F. G. Straub and R. J. Gaudy *216
—Dairy brine cooler explodes. Haylett O'Neill 504
—Elevator. (Ed.) 40
—Eliminating hazards in refrigerating plants. A. J. Authenreith 698
—Grounding electrical equipment makes operation safe. Marin Phillips *91
—Making high-voltage equipment safe to work around. Marin Phillips 5
—Pulverized coal explosion, six men dead. William E. Pratt Manufacturing Co.. 427
—Rules, regulations and the law not enough (Ed.) 239
—Safety in the boiler plant. (Paper at Annual Safety Council Meeting) 1015
—Safety should be feature of design in power plants. I. L. Kentish-Rankin... 261
—Taking the safety out of safety switches. Marin Phillips 294
—Treat low-voltage circuits with caution. I. L. Kentish-Rankin 207
—What causes air receiver explosions? C. O. Sandstrom 417
—When experts disagree (Ed.) 199
Air Compression—Problems solved by heat-work diagram. W. S. Huntington ..... †637
Air Compression. See also Compression.

AIR COMPRESSOR

—And vacuum-pump lines should be kept drained. R. F. Rogers 570
—Calculations cut by new air chart. W. S. Huntington 518
—Connecting-rod bearing adjustment in. G. F. McClay *931
—Drainage, and vacuum pump lines. J. A. Schaffner 729
—Testing cylinder walls of. John C. Hoar 101
—Volume change design differentiates, from blower. Sanford A. Moss *564

AIR RECEIVER

—Explosions, cause of. P. A. Baumeister. 608
—Explosions, cause of. J. J. McDougal. *649
—Explosions, cause of. Sanford A. Moss. 529
—Explosions, causes of. C. O. Sandstrom. 417, 896
—Explosions, cause of. W. E. Warner.. 688

AMERICAN SOCIETY HEATING AND VENTILATING ENGINEERS

—Semi-annual meeting, 1929 69

AMERICAN SOCIETY MECHANICAL ENGINEERS — Page

—Attitude of, Boiler Code Committee on Welding 904
—Fiftieth anniversary, April, 1930 620
—Power division discusses Diesel engine.. 51
Proceedings of fiftieth annual meeting. 916
—Report of Hydraulic Division 925
—Sponsors tentative code for pressure piping 538
—Statistics hailed as engineering fundamental 983
—Third national fuels meeting discusses smoke abatement, stoker and water wall construction, fouling and low temperature carbonization 617
—We congratulate Mr. Stetson and the A.S.M.E. (Ed.) 955

AMERICAN SOCIETY REFRIGERATING ENGINEERS

—Annual meeting, twenty-fifth birthday. 982
—Brief reviews of papers at annual meeting of 982
—Student Research Work prize winners. 983

AMERICAN STANDARDS ASSOCIATION

—Adopts 1929 Electrical Code 507
—Becomes member body of International Association 1061

AMERICAN WATER WORKS ASSOCIATION

—Discuss station equipment 32
—Convention at Toronto, 1929 304

AMERICAN WELDING SOCIETY

—Fall meeting, 1929 305
—New non-destructive tests revealed at fall meeting *463

ASSOCIATIONS AND SOCIETIES

—American engineering 892
—Engineering, value of, to industrial executives (Ed.) 277

B

BEARINGS

—Burnt out, cause of 140
—Piston pin, for Diesel engines. Orville Adams 405
—Relation of theory to practice in plain, lubrication 265

BELT

—Flat vs. V-shaped. W. F. Schaphorst. 22
—Compressor, why flapped. Howard Livingston 260
—Double-ply leather belt, in use since 1855 ..... *908
—Leather and cotton combination 245
Blowdown, how problem, was solved. J. H. Funk 219

BLOWERS

—Propeller-type, cool Hell Gate generators. L. N. Thompson *127
—Volume change differentiates, from air compressor. Sanford A. Moss *564

BOILERS — Page

—Alignment chart for calculating alkalinity in boiler water. E. A. Wade *1041
—Application of pulverized coal to steam. Henry Kreisinger 447
—Benson, Loeffler process and. Dr. Hans Loeffler 218
—Benson system, predecessor of. Dr. J. Havlicek 382
—Blow-off, why it does not pay to return to feed-water softener. J. D. Yoder.. 442
—Calcium carbonate in boiler water. J. H. Gullak 1010
—"Causticity plus" in boiler water. R. E. Hall 974
—Circulating water, why waste? (Ed.) 398
—Complete system for feeding, compound. J. H. Gullak *939
—Complete system for feeding, compound. B. E. Smithers *804
—Compounds, and patent medicines (Ed.). 628
—Conversion of sodium carbonate to caustic soda within steam boilers. C. E. Joos 762

BOILERS (Continued) — Page

—Drums, cold working of. T. McLean Jasper 346
—Drums, forged in quantity (Ed.) 276
—Drums, high-pressure. T. McLean Jasper 455
—Drums, size of, governs dry steam output. J. Gould Coutant 569
—Dual-purpose power and testing, in C. H. Wheeler Manufacturing Co. *244
—Economic study of, size. Frank S. Clark (Abstract of paper at A.S.M.E.) ... 919
—Efficiencies with natural gas. Haylett O'Neill 211
—Efficiencies with natural gas. W. S. Johnson 496
—Embrittlement in the steam. F. G. Straub (Abstract of paper at A.S.M.E.) 921
—Explosion at Crossett, Arkansas *28
—Feed pump problems caused by high pressure and high temperature. R. W. Miller 603
—Feed water for small plants (Ed.) 41
—Feed-water purification, research in. A. A. Potter 774
—Feed-water treatment, determination of alkalinity aids. S. E. Tray 728
—Feed-water treatment, recent developments in. Sheppard T. Powell (Abstract of paper at Toronto Convention of A.W.W.A.) 809
—Furnace volume. W. L. Kent, 607. W. Hurst 1047
—Furnaces, cooling refractories in. Ralph A. Sherman *675, 753
—H. R. T., operation of, improved, and smoke eliminated. Russell Melville.. †527
—H.R.T., smoke preventing furnace construction for. Gordon D. Rowe.... 765
—High pressure, used in John H. Heald Paper Co. plant *322
—Is caustic embrittlement real? L. M. Jordan 803
—Is high efficiency worth the price? Theodore Maynz 1045
—Little Ferry Mill reaps benefits from reconstruction of boiler plant. K. B. Howell *1039
—Loading, schedule for economic. Herbert B. Reynolds 553, 593
—Low-pressure, in office buildings? D. F. Grahame 346
—Marine, hazards of setting *249
—Maximum thickness of boiler drums.. 997
—Metal cracking: study of Duquesne Light Company's experience. Max Hecht and D. S. McKinney ..... †*633
—Modern, equipment in Glenlyon Print Works. S. W. Allen and F. J. Fales.. 200
—Modern feed-water treatments are of four kinds. L. W. Hayward 936
—New, and increased pressure reduce power costs, at Washburn Wire Co... *968
—Ninety men lunch inside No. 9, of East River Generating Station 947
—Operating at high rating. Thomas Sheehan ..... †529
—Operation, responsibility of head fireman 50
—Performance of, units 919
—Plate cracks caused by mechanical stresses. T. McLean Jasper 495
—Plate cracks due to mechanical stresses. J. C. McCabe 148, 384
—Plate cracks, not caused by caustic soda alone. H. Boyd Brydon 456
—Plugs, fusible tin 657
—Pulverized fuel-firing of, in New Yorker hotel. B. H. Pisow *836
—Reducing internal cooling. E. Praetorius. *674
—Reduction of investment in, equipment per, Kw. of station output 380
—Riverboat, no longer bursts 679
—Schmidt-Hartmann (a reply to Dr. Loeffler). O. H. Hartmann ..... †696
—Steam storage in (Ed.) 161
—Testing code, one instead of two (Ed.).. 82
—300-lb. high pressure, built in 1904. F. W. O'Neil 570
—Two 1,200-lb. at Rouge River plant.... *994
—Washer shuts down. M. P. Baxter.... †100
—Waste-heat, selecting. S. C. Page..... 345
—Water samples, rating. J. N. Evans.... 520
—Water treating, (1) filtration and lime soda plants. George Cawley, †642. (2) Zeolite softeners 716
—Water-wall installation. Ollison Craig.. 658
—Welding leaky handhole. Thomas A. Walsh 60
—Why does a, roar? F. Michel 1010

(*) Illustrated (†) Diagram (Ed.) Editorial

Page

BOILERS (Continued)
—Why some, explode. A. D. Ford.....1047
—Wood refuse and coal burned in same furnace obtains 300%, rating, Mengel Co. H. R. Lambright *550

BOOK REVIEWS
—Analysis of West Virginia coal. Tech. Paper No. 405, U. S. Bureau of Mines. 226
—Arc-welding. Ed. by Edward P. Hulse.. 535
—Central Electric Stations in Canada (Report) 72
—Coal in 1927. Comp. by Bureau of Mines 301
—Code for protection against lightning. Pub. by Bureau of Standards..... 535
—Constitution and nature of Pennsylvania anthracite with comparison to bituminous. H. G. Turner 906
—Creep of steel at high temperatures. F. H. Norton 535
—Design standards for oxwelded steel and wrought-iron piping 906
—Diesel engine lubrication 616
—Direct currents. Carl E. Magnusson....1056
—Discharge characteristics of submerged jets. M. J. Zucrow 301
—Economics of water-power development. Walter H. Voskuil 226
—Electrical utilities. William E. Mosher and associates 616
—Energie und energiewirtschaft. F. Brock 699
—Engineering experiment station record summary. Ed. by R. A. Seaton..... 301
—Engineering Index, 1928. A.S.M.E..... 301
—Exhaust steam engineering. Charles S. Darling 72
—Festschrift. A. Stodola 699
—Formulas and tables for engineers. 3d Ed. Pierce, Carver and O'Rourke....1056
—Forty years with the General Electric. John T. Broderick 1056
—Fundamentals of the smoke nuisance. S. S. Wyer 72
—Gas welding and cutting. Amer. Welding Society 1057
—History of mechanical inventions. Abbott Payson Usher 462
—How to employ and use services of practicing engineers. American Association of Engineers 226
—Industrial development in the U. S. and Canada 1057
—Industrial economics. Dexter S. Kimball 616
—Industrials—their securities and organization. Sterling H. Bunnell 462
—Introduction to the study of theoretical physics. René Fortrat 462
—Investigation of the friability of different coals. Cloyde M. Smith 1056
—Low-voltage A.C. network. D. K. Blake. 226
—Mathematical tables from "Handbook of chemistry and physics." Chemical Rubber Co. 72
—Measurement of pipe-flow by the coordinate method. F. W. Greve 699
—Men and machines. Stuart Chase 906
—New studies on heat. Charles Roszak and M. Vernon 462
—1929 supplement to book of A.S.T.M. Standards, 1927 616
—Note sur les connaissances actuelles des propriétés de la vapeur d'eau. M. D. Sochagzewer 1057
—Oxy-acetylene welder's handbook. M. S. Hendricks 535
—Popular research narratives. Vol. 3.... 616
—Power plant costs. N. K. Chamberlin..1057
—Power resources of the world, compiled by Hugh Quigley 301
—Protection of electrical circuits and equipment against lightning.....1057
—Recent economic changes in the U. S... 462
—St. Lawrence navigation and power project. Harold G. Moulton, Charles S. Morgan and Adah L. Lee 1056
—Soviet Union looks ahead 906
—Steam turbines. J. A. Moyer..... 72
—Seven-place natural trigonometrical functions. Howard Chapman Ives..... 72
—Steel pipe nipples. U. S. Dept. of Commerce 226
—Steenkool (Coal). J. J. Bootsgezel.... 226
—Story of United States motors. U. S. Electrical Manufacturing Co. 301
—Taiwan (Formosa): Its system of communications and transportation..... 301
—Transactions of the fuel conference, World Power Conference. Percy Lund. 906
—Vibration problems in engineering. S. Timoshenko 226
—Wärmekraft und wärmearbeitsmaschinen. A. Loschge 616
—Water resources paper, No. 57 (Canada) 906
—X-ray study of firebrick. Albert E. R. Westman 535
"Bremen" has compact power plant.... 192

BRUSHES
—Brush standards. W. C. Kalb..... *46
—Commutator, how to lubricate. W. E. Warner 295
Burmeister and Wain build two-cycle Diesel .....†678
Busbars, making joints in aluminum. W. E. Warner 20

C

CANADA
—News of 35, 75, 115, 193, 233, 269, 393, 428, 469, 506, 543, 581, 622, 663, 702, 741, 776, 814, 909, 947, 988, 1023, 1061
—Quebec has license regulations for engineers. Philip C. Bradshaw.....1055
Chain drives, finished steel. Charles R. Weiss *174
Chart for calculating alkalinity in boiler water. E. A. Wade 1041
Chimney, radial brick, razing a. T. H. Chen 937
Chlorinating circulating water keeps condenser clean, Kearney station, N. J. V. M. Frost and W. F. Rippe *961
Chrysler building, heating the. Louis T. M. Ralston *1037

CIRCUIT BREAKERS
—Lift rods for, of improved material. E. K. Read *646
—Metal polish to clean contact surfaces. J. Elmer Housley 384
—Oil, new design features in. A. W. Hill.*444
—World's largest at Westinghouse East Pittsburgh plant *1022

CLEANING SOLUTION
—Acid cleans metal parts. Ira S. Elliott.. 259
—Tri-sodium phosphate for equipment parts. George S. Billman 496

COAL
—A.S.T.M. studying pulverizing properties 908
—Carbonization of, for power stations discussed at British conference.....1020
—Crane handles, at plant of Gulf States Service Co. *1021
—Handling with A.C. larry cars. R. F. Emerson *677
—Powdered, cost of preparing. J. G. Worker 22
—Powdered, used in same furnace with wood refuse at Mengel Co. H. R. Lambright *550
—Pulverized, application of, to steam boilers. Henry Kreisinger..... 447
—Pulverized, enters the hotel field. B. H. Pisow *836
—Pulverized, for underfeed stokers. Ball Brothers Co. *406
—Pulverized, used on British freighter.. 577
—Pulverized, used on "West Alsek"..33, 987
—Pulverizing wet. Berry Ervin 938
—Tempering slack. A. D. Ford.....1009

COKE
—Plant. By-Products Coke Corp. *162
—Powdered, found practicable 715

COMBUSTION
—Devices of solid injection Diesels. L. H. Morrison *719
—Effect of induction tube on. H. Misostow.*484
Commutator sanding block. W. E. Warner.*531
Commutator sparking, causes of. Marin Phillips *966

COMPRESSION
—Multiple-effect. A. F. Sheehan *530
—Multiple-effect, lowers power costs at East Shore Ice Co. F. P. McNeil..*446
—Starting a carbonic acid compressor. John L. Anderson 972
—Types of compressors for refrigerating plants. John Cassiday *884

CONDENSER
—All-welded surface, operating successfully at Parr Shoals *786
—Cleaning (Ed.) 954
—Kept clean by chlorinating circulating water, Kearney station, N. J. V. M. Frost and W. F. Rippe *961
—Surface, all-welded (Ed.) 784
—Surface, retubing a. P. F. Rogers.... 495
—Vertical shell and tube. F. R. Zumbro. (Paper at convention of N.A.P.R.E.) 773
—Weight on, reduced by changed location of expansion joint. William Welch, Jr. 568

CONDENSER COOLING
—Intake flume, kept clean with hose. L. E. Wilson 58

CONSTRUCTION WORK
—Bids for engineering services (Ed.)... 120

CONTROL
—Failure alarm for motor circuits. Louis C. Rosenstein 897
—Low air pressure alarm for temperature, system. Nels Hilsen *803
—Variable speed, for A.C. motors driving pumps. P. B. Harwood.....*599

Page

CONTROL CABLE
—Procedure for inspecting and testing. H. M. Friend *881
—Selecting, for power plant equipment. H. M. Friend *796
Cooling towers for Diesel plants. L. A. Pease *886

COOLING WATER
—Problem, with large gas engines. Earl Pagett 184
—Requirements for Diesel engine. L. A. Pease *562
—Throws brake pulley out of balance. David Fliegelman *259

CORROSION
—Fatigue studied by U. S. Navy Dept... 134
—Hydrogen ion concentration and, control. Discussed at meeting of American Water Works Assn. 304
—Speeded by dissociation of steam at high temperatures 258
—Welds 632
—With low stack temperatures (Ed.).... 914

COST SYSTEM
—Cost systems, why? (Ed.) 2
—For power plants. S. W. Allen and F. J. Fales 400
—Is it simply a matter of bookkeeping? (Ed.) 785

COSTS
—Are highly efficient boilers worth the price? Theodore Maynz.....1045
—Generating, of a Diesel plant 718
—Industrial, need attention (Ed.) 874
—Land a negligible factor in industrial power. J. H. Lawrence and J. A. Frieday 1054
—Meters reduce operating, in office buildings. F. A. Annett *438
—Power, reduced by new boilers and increased pressure at Washburne Wire Co. *968
—Power and heat in industrial plants. R. J. S. Pigott 684
—Smoke, $16 per capita 1000
—Stores keeping system cuts. Walter N. Polakov *492
—Total, is what counts (Ed.) 588
Crankpins, device for trueing engine. W. E. Warner 938

D

Diesel Engines. See Engines—Internal Combustion.
Drawing—diagram simplifies changing dimensions from one scale to another. E. F. Seaman *896

E

ELECTRICITY
—A.C. and D.C. motors drive power plant auxiliaries at Delray No. 3. H. E. Longmire *760
—Brushes and slip rings, wear on. W. E. Warner 494
—Causes of commutator sparking. Marin Phillips *966
—Circuit breakers, Delon, invented by Dr. Joseph Slepian, Westinghouse Electric Co. *17
—Circuit breakers, oil, new design features of. A. W. Hill.....*444
—Commutator blackening, cause of. M. M. Vyas 730
—Consumption of, high per capita in Winnipeg. E. V. Caton 261
—Control-failure alarm for motor circuits. Lou's C. Rosenstein..... 897
—83 billion Kw.-Hr. of energy in 1928... 563
—Electric light a "failure" 50 years ago.. 567
—Generator replaces coal-fired boiler. E. H. Hill *683
—Generators, D. C. making, build up voltage. M. E. Wagner.....*253
—Grounding electrical equipment for safe operation. Marin Phillips..... *91
—Grounding precautions. Robert Ball.... 482
—Heaters, space, facilitate shaft and rotor assembly. R. M. Alspaugh.....*288
—High-voltage equipment, making it safe to work around. Marin Phillips..... 5
—Hydro-electric units, improving reliability. (Ed.) 589
—Increase in use of, shown in charts.... 87
—Indicating lamps for A.C. watt hour meters. H. S. Edgerly.....*176
—Inspection of motor enhances performance. Marin Phillips..... 601
—Inter-connected systems, getting highest efficiency from. R. F. Sorrells..... 344
—Interlocking of motors for group operation. H. V. McCoy..... 609
—Iron dust caused electrical breakdowns. W. E. Warner..... 416

(*) Illustrated (†) Diagram (Ed.) Editorial

Page

ELECTRICITY (Continued)
—Knife switches, testing cleanliness of. W. E. Warner ... 729
—Large generator obtained at full load. J. E. Calvert ... *998
—Line-start motors create new application problems. (Ed.) ... 199
—Meters essential to good building operation. (Ed.) ... 437
—Meters reduce operating costs in office building. F. A. Annett ... 438
—Miniature switchboards give control to single operator. F. E. Jaquay ... *561
—Motor control, office buildings (Penobscot & Union Trust Building, Detroit). A. A. Shirley ... *724
—Motor operation, causes and remedies of faulty induction. M. E. Wagner ... *370
—Motors and control for driving pumps. P. B. Harwood ... *599
—Motors, winding faults in A.C. M. E. Wagner ... *680
—Oil circuit breaker lift rods, of improved material. E. K. Read ... *646
—Peak-load problem. A. G. Christie ... *179
—"Pennsylvania" is electrically driven ... 115
—Power-factor correction reduces cost of, in buildings. J. F. Lamb ... *204
—Power supply in New Yorker hotel. F. A. Annett ... *846
—Primary resistance vs. compensator type starters. M. A. Walker ... 799
—Removing explosion hazard from electrical equipment ... 291
—Safety switches, taking safety out of. Marin Phillips ... 294
—Selecting control cable for power plant equipment. H. M. Friend ... *796
—Selection of Diesels depends on load conditions. L. A. Pease ... *208
—Short circuit in N. Y. Central plant ... 579
—Substations, heating in automatic. R. P. Brockner ... †373
—Switches for auxiliary motors in power plants. B. G. Morris ... *522
—Transformers, world's largest present shipping problem ... *354
—Treat low-voltage circuits with caution. I. L. Kentish-Rankin ... 207
—Truck-type switchboards in public buildings. G. H. Kohn ... *166
—Turbine-generator startor for Hell Gate station ... *541
—Twenty-five cycle burden on industry. (Ed.) ... 3
—Utility power production maintains increase over 1928 ... 268
—Utility power production reaches new peak in 1929 ... 1060
—Voltage, A.C. motor compensation reduced. C. O. Roberst ... †296
—Westinghouse motor at Columbia Steel Corp. is largest diameter synchronous motor in operation ... *813
—What Edison thought about electric light fifty-one years ago ... 415
—Why D.C. generators reverse polarity. M. E. Wagner ... *489
—Why the motor winding burned out. W. E. Warner ... 1009
—Why the polarity of exciter becomes reversed. E. W. Wilson ... 805
—Why voltage varied on exciter. Marin Phillips ... 729
Elevators, forty-three stories of vertical traffic, in New Yorker hotel. E. W. Yearsley ... *850

EMPLOYEE—RELATIONS
—Human element big factor in production costs. P. H. Wilson ... 95
—Loyalty still pays. Thomas M. Street ... 59

ENGINE—INTERNAL COMBUSTION
—Combustion devices of solid injection Diesels ... *719
—Cost data should be published. (Ed.) ... 548
—Design of injection system determines fuel consumption on Diesels. Alfred Peters ... *789
—Diesel, and centrifugal pump. G. H. Kimball ... 140
—Diesel, cannot compete with large steam units. F. W. Martin ... 1016
—Diesel, close tolerance makes for better operation. Charles H. Hughes ... *410
—Diesel cooling water. L. A. Pease ... *562
—Diesel drives for individual factory requirements. L. A. Pease ... *486
—Diesel engine developments ... 890
—Diesel, in Walker-Gordon dairy plant. G. Grow ... *133
—Diesel, influence of fuel on operation. Robert E. Bruckner ... *88
—Diesel engines, large, in industry. (Ed.) ... 161
—Diesel, maintenance of large. Louis R. Ford ... 228
—Diesel, piston pin bearing for. Orville Adams ... 405
—Diesel plant's location depends on local condition. Continental Ice Co. L. A. Pease ... *282
—Diesel power for water works. A. D. Couch ... 656
—Diesel power plants should be carefully planned. Edgar J. Kates ... 10

Page

ENGINE—INT. COMB. (Continued)
—Diesel selection depends on load conditions. L. A. Pease ... *208
—Diesel, supercharger, turbine-driven for Brown, Boveri & Co. ... 111
—Diesel, two-cycle of unusual design ... *678
—Diesel used on extension of 8th Ave. subway, N. Y. ... *112
—Diesel, Worthington double-acting, tested for Shipping Board ... 170
—Diesel yoked to steam, in New Yorker hotel plant. ... *833
—Diesels for central stations. (Ed.) ... 992
—Diesels on the Mississippi levees. (Ed.) 548
—Diesels provide stand-by for motor-driven pumping station F. G. Gordon ... *1042
—Diesels reduce municipal power cost at Higginsville Mo. plant ... *606
—Gas engine in the oil field. G. L. Reid (Abstract of paper at A.S.M.E.) ... 922
—Historic oil engine added to National Museum Collection. Frank A. Taylor 409
—Large gas engine revived. (Ed.) ... 513
—1929 history of the Diesel. E. G. Magdeburger (Abstract of paper at A.S.M.E.) 922
—Notes on building. Douglas P. Muirhead *218
—Oil engine research, at University of Toronto. Campbell Bradshaw ... 378
—Smoky exhaust from, William C. Dingwall ... 690
—Tools for compressing piston rings on Diesel engines. W. E. Warner ... *975

ENGINE, STEAM
—Corliss, measuring clearance volume of. Merl D. Creech ... 382
—Cuts coal bill. A. H. Robinson ... 346
—Cuts coal bill of Montgomery Ward & Co. C. T. Snow ... *4, 689
—Heat transfer in reciprocating. A. Nagel 540
—Reducing power of low-pressure cylinder. Charles J. Mason ... 937
—Repairing cracked frame in. W. A. Dow *259
—Uniflow, vs. turbine. A. F. Sheehan ... 494

ENGINEERING
—Building-operation responsibilities. (Ed.) 914
—Expediency or. (Ed.) ... 709
—Following the leader in building. (Ed.) ... 238
—Operation of New Yorker hotel. Warren D. Lewis ... *860
—Steam power, progress in. F. M. Gibson (Abstract of paper at A.S.M.E.) ... 920

ENGINEERING EDUCATION
—Another investigation of. (Ed.) ... 628
—Another milestone in. (Ed.) ... 161
—Basic education of engineer. (Ed.) ... 588
—Graduate and his work. William T. Magruder ... 424
—Problems that train real engineers ... 83
—Where are we headed in. P. W. Swain 171

ENGINEERS
—And boiler room. Walter W. Slocum ... 608
—Basic education of. Max Wülfinghoff ... 805
—The engineer. Hiram Percy Maxim ... 969
—In boiler room, young. C. Harold Berry 454
—International contacts for. (Ed.) ... 360
—Labor economy and the operating. (Ed.) 398
—License regulations for, in Quebec. Philip C. Bradshaw ... 1055
—Refrigerating, need technical knowledge. F. P. McNeil ... 648
—What is a plant engineer? (Ed.) ... 709

EQUIPMENT
—Across-the-line starter. Cutler-Hammer Co. ... *733
—Air-compressor, self-contained, air-cooled, two-stage, ... *1012
—Air conditioner, Niagara Blower Co. ... *348
—Air controller, Ilg Electric Ventilating Co. ... *610
—Air Filter, multi-panel Reed Air Filter Co. ... *300
—Air-line lubricator for pneumatic tools. *941
—Ash handling system. Pneumatic Conveyors Corp. ... *652
—Automatic starter for D. C. motors ... *807
—Automatic voltage regulator for generators ... *808
—Ball bearings, single-row, self-lubricated. *901
—Battery charger, Engbergs' Electric & Mechanic Works. ... *264
—Bearing radial roller, Hyatt Roller Bearing Co. ... *459
—Bearings, single-row ball, Hoover Steel Ball Co. ... *532
—Belt drives, short-center, slack—Harry, M. Perry ... †63
—Blowers, rotary positive, Roots Co. ... 23
—Boiler, cross-drum with single-seam headers ... *1049
—Boiler, low-head water-tube. D. Connelly Boiler Co. ... *387
—Boiler manhole exhauster ... *1014
—Boiler tube cleaner. Wheelock-Bogue Inc. ... *385
—Box fuse for small capacity circuits ... *940
—Breaker, overload. Allen-Bradley Co. ... *498
—"Bridge-meg" resistance tester, James G. Biddle ... *691
—Bridge-wall seal. Michael Liptak ... †25
—Brush, fluted rubber, Robins Conveying Belt Co. ... *141

Page

EQUIPMENT (Continued)
—Brush, tube-and-flue cleaning. Specialty Mfg. Co. ... *532
—Burner, gas and oil. Lee B. Mettler Co. *532
—Bus support, heavy-duty Champion Switch ... *222
—Cable, armored. General Electric Co. ... 420
—Cable, double-armored bush. National Electric Products Corp. ... *298
—Cable terminators, 600-volt ... *1051
—Capacitator, improved cell type. ... *1049
—Cement, air-set, and baffle mix. Babcock Wilcox ... 223
—Chain hoist, differential ... *942
—Chain, 2½ in. pitch roller, for heavy duty. ... *942
—Chart recorder for switchboards. Bristol Co. ... *534
—Check valve, noiseless ... *977
—Circuit breaker, oil Condit Electrical Manufacturing Co. ... *299
—Circuit breaker, oil, and switches. Roller Smith Co. ... *143
—Circuit breaker, oil, for underground service. Condit Electric Co. ... *459
—Circuit breaker, oil, heavy-duty. Condit Elec. Mfg. Co. ... *105
—Circulator. Rochester Circulator Sales Division ... *499
—Clamp insulator support ... *806
—Coagulant for reducing alkalinity. Paige & Jones Chemical Co. ... 572
—Coal pulverizer. Riley Stoker Corp. ... *420
—Cock, quick-closing, for steam turbines. Franz Leiffert & Co. Berlin ... †62
—Combustion control designed for close regulation ... *940
—Compressor, two-stage vertical ... *978
—Compressors, roller-bearing, Worthington Pump & Machinery Co. ... *143
—Conduit, aluminum rigid, Aluminum Co. of America ... *105
—Conduit fittings, Adalet Manufacturing Co. ... *458
—Contractor, alternating current, Allen-Bradley Co. ... *62
—Control, safety, for motors. Ross Safety Switch Corp. ... *458
—Controller, and brake switch. Monitor Controller Co. ... *692
—Controller, drum, Westinghouse Electric Co. ... 142
—Controller, explosion-tested type, Westinghouse Electric Co. ... *63
—Controller for low-head cranes ... *1013
—Cooling tower, spray deck, ... *1012
—Corrosion-resisting steel ... 808
—Countershaft, friction-driven. Duro-Friction Clutch Co. ... †573
—Coupling, flex-ring type. T. L. Smith Co. *298
—Coupling, flexible. American Flexible Coupling Co. ... *419
—Coupling, improved all-metal flexible, ... *977
—Coupling, light duty, flexible Ajax Coupling Co. ... *222
—Crane, Diesel operated industrial ... *1014
—Crane, tractor-mounted swing, for industrial uses ... *806
—Cutting and threading machine. Toledo Pipe Threading Co. ... *104
—Detector, gas leak ... *769
—Disk clutch. Edgemont Machine Co. ... *498
—Draft gages, Defender Automatic Regulator Co. ... †63
—Drill, electric, portable. Wodack Electric Tool Corp. ... *457
—Drive "Straight-line" for underfeed stokers, American Engineering Co. ... *25
—Electrode, for arc welding. Lincoln Electric Co. ... 264
—Electrode for steel plate welding ... 770
—Electrode holder, Westinghouse Electric Co. ... *300
—Electrode holder, arc-welding. General Electric Co. ... *387
—Elevator brake, A.-C. Maintenance Co. *188
—Endless cord transmission belt ... *807
—Engine, gasoline-kerosene, Fairbanks, Morse & Co. ... *141
—Equalizer for elevator-compensating ropes ... *942
—Evaporator, Struthers-Wells Co. ... *347
—Evaporator, removable tube bundle. G. A. Zeitler ... †*222
—Expansion joint, cylinder-guided, in standard and extra-heavy patterns ... *1050
—Expansion joint for aluminum tube bus *807
—Facing metal for grinding parts. Commercial Alloys Corp. ... 222
—Feed-water control varies water level directly with rating ... *769
—Feeder, chain, for coal. Ross Screen and Feeder Co. ... 299
—Feed-water treatment in brick forms. Standard Engineering & Lubricating Co. 223
—Filter, "Auto-Klean" Cunofilter. Cuno Engineering Co. ... †419
—Fly-wheel speed-changing device for centrifugal inertia governors ... *976
—Forged-steel union, Walworth Co. ... *692
—Gage, cover-type U- ... *899
—Gage, improved U-, for static pressures *1050
—Gages, single-, double, and triple-tube. Defender Automatic Regulator Co. ... *188
—Generator, portable acetylene. Alexander Millburn Co. ... *458
—Generator, gasoline engine, for emergency service. J. H. Weir Co. ... *186

(*) Illustrated (†) Diagram (Ed.) Editorial

Page

EQUIPMENT (Continued)

—Generator, Texrope-driven. Engberg's Electric & Mechanical Works *61
—Generator, welding in single and multiple operator types. Westinghouse Electric Co. *24
—Guide-rail lubricator. Yvan Zenon....†*385
—Heat exchangers. Westinghouse Electric Co. 421
—Heat-producing equipment for laboratory research work *1013
—Heater in recirculating box. Young Radiator Co. *533
—Heater that washes and humidifies, unit. *978
—Heaters, unit with two-speed fan motor *768
—Idler, demountable troughing, Robins Conveying Belt Co. *103
—Indicator, for high voltage conductors, "Glowtector." W. S. Wilson Corp..... *104
—Indicator, high-voltage uses Neon tube, Martindale Electric Co. ..... †141
—Iron, high-permeability 900
—Lacquer, insulating, General Electric Co. 142
—Leather belt, for short-center drives. Slip-not Belting Corp. *732
—Lighting-plant, self-contained for auxiliary service *976
—Line starter, Westinghouse Electric Co.. *457
—Line starter, Westinghouse Electric Co.. *693
—Lubricating system, Keystone Lubricating Co. *691
—Manometer, flow meter. Meriam Co..... †349
Co. 349
—Meter CO_2, improved method of installing. Brown Instrument Co. ..... †24
—Meter, cold-water, for turbine. Worthington Pump & Machinery Co. 420
—Meter service breaker. Westinghouse Electric Co. *651
—Meter service breaker replaces fuses ..*1051
—Meters, portable in carrying case. Westinghouse Electric Co. 223
—Motor, inclosed. Armor Electric Mfg. Co. *499
—Motor starter with disconnect switches and meter test jacks *769
—Motor starters. General Electric Co... *652
—Motor "Uniclosed" ventilated. United States Electrical Manufacturing Co.. *421
—Motor, with built-in switch *806
—Motors with asbestos-insulated windings. U. S. Electrical Mfg. Co. *533
—Multi-stage regulator for gas cylinders. . *807
—New steel for boiler plates. Central Alloy Steel Corp. 533
—Oil circuit breaker of high interrupting capacity *770
—Oil mill, eliminates sludge. Volcanic Specialties Co. *223
—Oil purifier, centrifugal *900
—Operator, hydraulic to replace solenoids. General Electric Co. *572
—Packing, liquid, for pipe threads. W. S. Anthony 534
—Packings, "Cutno" "Pelro" & Palco." Greene, Tweed & Co. 457
—Panel boards, narrow, Square D Co. *459
—Pliers with sliding fulcrum *1050
—Polarity changer, motor-driven *978
—Press, large capacity oil purifier and filter *977
—Process for maintaining efficiency of turbine oils *901
—Pumps, centrifugal, for boiler feeding, Gould Pumps, Inc. *23
—Pump, circulating for hot-water systems. H. A. Thrush & Co. *732
—Pumps, ball-bearing centrifugal. American Steam Pump Co. ..... †*651
—Pump, deep-well. Deming Co. *497
—Pump regulator, Julian D'Este Co. *693
—Pump, self-priming centrifugal, ... *900
—Purifier, centrifugal for lubricating, fuel & transformer oils. Westfalia Separator Co. *571
—Pyrometer, control and mercury switch. Republic Flow Meters Co. *262
—Pyrometer, Mace Template & Engineering Co. *498
—Pyrometer, Roller-Smith Co. *105
—Pyrometer, Wilson Maeulen Co. *731
—Regulators for temperature, pressure and combustion control *899
—Regulator, thermo-hydraulic, feed-water. Bailey Meter Co. *187
—Regulator, two-stage oxygen. Oxweld Acetylene Co. *733
—Regulator, volume-flow. Brooke Engineering Co. *299
—Relay, multi-fingered General Electric Co.*222
—Reservoir, pressure-type, oil—General Electric Co. ..... †*62
—Resistor "Duristor," Cutler-Hammer Inc.*459
—Rock wool blanket *941
—"Rustless" chrome-iron alloys. Rustless Iron Corp. 733
—Scale, automatic, "Telepoise" for coal. John Chatillon Sons ..... †386
—Scraper, power plow for handling coal. Garst Manufacturing Co. *223
—Seal ring for rotary driers. Huron Industries Co. *571
—Smoke eliminator. Luks Smoke Carburetor Co. ..... †573
—Smoke indicator for boilers. Wager Furnace Bridgewall Co. *612
—Speed reducer. Foote Brothers, Gear and Machine Co. *421

Page

EQUIPMENT (Continued)

—Speed-reducing power unit. Janette Mfg. Co. *61
—Splash-proof motor starting switch. ...*808
—Spray painting outfit. Binks Manufacturing Co. *421
—Sprayer, portable. Breuer Electric Mfg. Co. *692
—Starter, with test jack—Square D. Co..*264
—Steel float, welded. W. H. Nicholson C.*653
—Stoker, overfeed. Westinghouse Electric*387
—Stoker, single-retort, side dump..... *941
—Stoker, single-retort, underfeed, Dayton Stoker Co. *142
—Stokers, underfeed for small boilers—Modern Coal Burner Co. *262
—Stoker, underfeed multi-zone. McClave-Brooks Co. ..... †*103
—Stoker, unit-type. General Stoker Co..†*348
—Strainer on screen-cleaning mechanism, Rosedale Foundry & Machine Co. ...*610
—Superheaters for return-tubular boilers.*1051
—Switch, disconnecting. Delta Star Electric Co. *534
—Switch, front and back connected disconnecting. *1013
—Switch, industrial control, General Electric *693
—Switch, magnetic. General Electric Co.*499
—Switch, magnetic, across-the-line starting. General Electric Co. *186
—Switch, manual starting, General Electric Company *24
—Switch mechanism, General Electric Co.*457
—Switch, "rubber-mounted." Cutler-Hammer Inc. *299
—Switch, submerged diaphragm. Barret, Haentjens & Co. *498
—Threader, small pipe. Oster Mfg. Co...*533
—Time-delay device to replace relay. General Electric Co. *264
—Time switch, self-winding. R. W. Cramer & Co. *612
—Tools to clean oil purifier bowl. DeLaval Separator Co. *497
—Torch, acetylene—Linde Air Products Co.*264
—Trap, bellows-type, W. D. Cashin Co...*349
—Trap, large capacity, for steam, gas and compressed air *768
—Trucks for acetylene generators. Oxweld Equipment Co. *298
—Turbine pump motor of symmetrical design *978
—Turbine, vertical steam—Murray type. 51
—Twin-disk clutch with ball-bearing pulley. Twin Disk Clutch Co. ..... †733
—Unit heater in five sizes..... *1012
—Valve, flow control. Brown Instrument Co. *349
—Valve, Neilan "Parabolic." Neilan, Schumacher & Co. *263
—Valve, quick closing and water stop throttle. Morton Vacuum Breaker Co.*732
—Valve, zone heat control, Illinois Engineering Co. *348
—Ventilating fan. Buffalo Forge Co..... *611
—Water softener. Paige-Jones Chemical Co. *221
—Welder, engine-driven. Lincoln Electric Co. *421
—Welder, portable arc. General Electric Co. *611
—Welder, "stable arc." Lincoln Electric Co. *104
—Welding outfit, automatic. Westinghouse Electric Co. *534
—Welding rod, manganese-chrome-iron....1014
—Welding rod. Oxweld Acetylene Co..... *653
—Welding rod "Una" 65. Una Welding & Bonding Co. 651
—Welding unit, dual drive..... *770
—Wire stripper. Ideal Commutator Dresser Co. *611
Evaporators generate process steam..... †*335
Explosions, see Accidents

F

Feed Water, see Boilers
Filter cures fly-ash nuisance in textile plant. Charles D. Owen..... *131
Flume for hydraulic research study installed at Carnegie Inst. of Technology *580
Flywheel testing a 1036
Forest unearthed by Arapuni spillway water 1040

FOREWORD—F. R. LOW

—The conqueror, Thomas Alva Edison... 745
—Controlled monopoly vs. public ownership 707
—Courtesy 359
—Give the engineer a chance 435
—High-class power plant engineers..... 667
—International heat unit..... 953
—Jetsam of progress 873
—Keeping up with the job..... 511
—Labor makes the market..... 397
—Limit of devotion 547
—Make a note of it 783
—Making public opinion 1
—Man power of the plant 275
—Merry Christmas! 991

Page

FOREWORD—F. R. LOW (Continued)

—N.A.P.E. and education..... 313
—Power at less than cost..... 197
—Power show 820
—Propaganda 587
—Prospects of the power plant engineer.. 627
—Robot of the boiler room 913
—Shorter days or fewer years 39, 237
—Smoke prevention 81
—Standardization 473
—Value in high temperatures..... 159
—Valedictory! 1027
—Whom do you know?..... 119

FUEL

—By-product, balanced, in coke and blast furnace plant. By-Products Coke Corporation *162
—Conservation (Ed.) 40
—Consumption determined by design of injection system. Alfred Peters *789
—Establishing Diesel oil, standards..... 1000
—Fuel oil standard possible (Ed.) 40
—Gas, as a general, J. Gulick..... 98
—Influence of, on Diesel engine operation. Robert E. Bruckner *88
—Lignite found satisfactory, by San Antonio Public Service Co. V. H. Braunig. *13
—Power development for maximum all-over economy (Ed.) 160
—Power from, without combustion (Ed.) 399
—Powdered, used a hundred years ago.... 727
—Predrying hog. William A. Struthers.. 71
—Relative economy of pulverized coal, oil and gas as boiler plant. Martin Frisch 736. M. H. Curley 975
—Soot particles in N. Y. air discussed at A.S.M.E. by Dr. E. E. Free..... 921
—Utilization, charts give best record of. Walter N. Polakov. 412
—Utilization, progress in (A.S.M.E.).... 921

FURNACES

—Blast, and coke plant. By-Products Coke Corp. *162
—Tube failures in, walls (Ed.) 238
—Wells, refractory vs. bare 96

G

GAGING AND MEASURING

—Fuel oil in tank cars. H. L. Kauffman..*930

GAS AND GASES

—Chimney gases nourish hot-house plants. J. Gould Coutant..... 690
—Flue, in London. A. C. Blackall 16
—Flue, in London. David Brownlie..... 418
—Natural, Who is to use (Ed.)..... 669
—Prize of $3,000 offered by Alexander Milburn Co. of Baltimore, for new cutting 778

GENERATORS

—Correcting polarity of. Frank Royce...†973
—Descriptions of, in New Yorker hotel. F. A. Annett *846
—Erecting turbine drive for world's largest, at plant of N. Y. Edison Co....*1034
—"Hell Gate," cooled by propeller-type blowers. L. N. Thompson..... *127
—Largest single-shaft unit installed by N. Y. Edison 777
—Losses of large, obtained at full load. J. E. Calvert *998
—160,000-Kw. generator at N. Y. Edison Co.'s plant. D. S. Snell..... *1030
—Why D.C., reverse polarity. M. E. Wagner ..... †*489

GERMANY

—Business Research Institute investigates per capita use of power..... 969
—Design features of high-pressure feed pumps at Mannheim Rheiman plant. R. W. Miller *451
—Power production in, gradually coming under state control 1038
—Pulverized coal installations increase in 269

GREAT BRITAIN

—Power production growth in 1017
—Power project progresses 73

H

HEAT BALANCE

—Contingency factors in heat-balance calculations (Ed.) 82
—Cooling refractories in boiler furnaces: theory and practice. Ralph A. Sherman *675. 753
—Description of, in New Yorker hotel: load curves and diagrams. P. W. Swain 823
—Favorable, with Diesel steam plant. (Ed.) 629

(*) Illustrated (†) Diagram (Ed.) Editorial

Page

Heat-work diagram solves air-compression problem. W. S. Huntington.....*637
Heater, operation of feed-water, improved. Thomas Sheehan 690

HEATING AND VENTILATING

—Air washers and fan system of cooling in New Yorker hotel. R. B. Purdy..*843
—Boiler and engine room ventilation in New Yorker hotel. R. B. Purdy...*843
—Boiler efficiencies with natural gas. Haylett O'Neill..... 211
—Heat insulation practice, in power plants. L. B. McMillan 66
—Heating service in New Yorker hotel. R. B. Purdy *840
—Heating world's highest, the Chrysler building. Louis T. M. Ralston.....*1037
—In automatic substations. R. B. Brockner 373
—Metering errors in steam-heat industry 57
—Multi-stage water heating improves economy of bleeder turbines. M. D. Church *18
—System in Equitable building *726
—When operation starts—what then? (Ed.) 875
Highways and horsepower (Ed.)..... 361

HOURS OF LABOR

—Shorter days or fewer years? H. G. Brinckerhoff **295**
—Twelve, too long for engineer. (Ed.).. 277
Hutchinson, Ely C. *1029

I

Indicator, practical phase sequence. Ed Swan *767
Industrial plants, power and heat in. R. J. S. Pigott 684

INDUSTRY

—Business and power in New England. (Ed.) 784
—Tuning up the industrial machine (Ed.) 954
—What makes, backward (Ed.)..... 436
—What the individual can do. (Ed.).... 914

INSPECTION ANO MAINTENANCE

—Inspecting and testing procedure for control cable. H. M. Friend *881
—Motor inspection enhances performance. Marin Phillips 601
—Practice in power plants. Walter N. Polakov 205
—Proper, Makes electrical equipment safe. Marin Phillips 248
—Work, should be scheduled. Walter N. Polakov 256
Internal separator, centrifugal-type.....*946
International Steam Table Conference, in London, July, 1929..... 391

J

JAPAN

—Power plant at Saku, largest in, earthquake proof. K. Tsuruta *476
—World Engineering Congress at Tokio..*284

JOHN FRITZ MEDAL

—Awarded to Ralph Modjeski..... 579
Journalistic engineering. (Yonkers "Statesman) 687

L

LABOR ECONOMY

—And operating engineer (Ed.)..... 398
"Lexington" ties in with Tacoma's power supply 1021, 1058
Lighting, for the power plant, better. A. D. Bell *6

LIGHT'S GOLDEN JUBILEE

—Power industry's jubilee (Ed.)..... 628
Load conditions responsible for Diesel selection. L. A. Pease *208

LOADS

—And sources pooled by five paper mills. Henry W. Taylor 630
—Call for building-load curves. (Ed.).. 746
—Load building in the industrial plant (Ed.) 512
—Peak-load problem. A. G. Christie....*179
—Predicted, curves for New Yorker. P. W. Swain 823
Low, Fred R. *1028

Page

LUBRICATION

—Bearing, relation of theory to practice (Theory of Osborne Reynolds)..... 265
—Hot weather difficulties. M. C. Langfelder 456
—Results of European research in the aging of turbine oils. J. D. Lloyd.... 700
—Steam cylinder. Charles Boehm..... 297
—Steam turbine, demands high quality oil. 146

M

MAINE

—Bans power export (Ed) 437
Maintenance. See Inspection and Maintenance.
Manufacturer, what should the, sell? (Ed.) 746
Matthew Murray—pioneer power engineer, 1765-1826 .....*136

METERS

—Air-flow, steam-flow, as boiler control. E. A. Uehling 185
—Boiler, simplified setting of..... 144
—Reduce operating costs in Equitable Assurance Building. F. A. Annett....*438
—System of, in New Yorker hotel.....*858

MOLDS

For hydraulic leathers. W. F. Schaphorst, 344; E. J. Jordan 730

MOTORS

—A.C. and D.C., drive power plant auxiliaries at Delray No. 3. H. E. Longmire*760
—And controls, in power supply system of New Yorker hotel. F. A. Annett....*846
—Causes sought for commutator sparking. Marin Phillips *966
—Control, centralized panels for office building. A. A. Shirley *724
—Induction, causes and remedies of faulty operation. M. E. Wagner *370
—Line-start create new application problems. (Ed.) 199
—Locating winding faults in A.C. M. E. Wagner *680
—Synchronous, improve power plant operation. H. M. French.....*883
—Synchronous, increase in size and applications *8
"Mount Vernon" has two sources of power supply *764

N

National Association of Power Engineers. Resumé of Chattanooga meeting..... 502
National Association of Practical Refrigerating Engineers. Twentieth annual convention at Pittsburgh 773
National Board of Boiler and Pressure Vessel Inspectors. Annual meeting 30
National District Heating Association. Discuss metering errors..... 57
National Electric Light Association Water Power Development Committee says prosperity due to cheap power..... 517
National Exposition of Power and Mechanical Engineering. What one saw at the power show..... 927
National Metal Congress meets in Cleveland. (Ed.) 399
Newcomen, Thomas—practical engineer, 1663-1729. (Ed.) 199

"NEW YORKER"

—Men who created the. *869
—Power services, equipment and operation of hotel *822-867
Nickel, pure, annealing monel metal and. 255

NOISE

—Engineer and. (Ed.) 668
—Silencers for, from power plants. Hiram Percy Maxim 528
Nozzles, straightening up small ends. F. W. Bentley, Jr. *729
Nuisances need not accompany industry. (Ed.) 874

O

Obsolescence, outwitting. (Ed.) 875

OIL

—Aging insulating and steam turbine. H. L. Kauffman 182
—Color not criterion in, specification. H. L. Kauffman, 243; C. W. Peters..... 496
—Crankcase, reclaimed in economy drive by railroads 29
—Lubricating, identified by symbols in U. S. Navy. Lieut. C. A. Griffiths 212

OIL (Continued)

—Mineral, and graphite lubricate press fits. Charles J. Mason 220
—Purification, centrifuge in. Walter B. Keighton 483
—Removing, from feed water in open heater. Joseph O'Brien..... 496
—Service characteristics of Diesel lubricating. A. E. Flowers and M. A. Detrick. (Discussion at A.S.M.E.) 923
—Stopping lubricating, trouble. George Wirkow 454
—Strainer. T. J. Donnelly *531
—Treatment of insulating..... 972
—Turbine, artificially aged as result of European research. J. D. Lloyd..... 800

P

Packing, frictionless metallic. J. T. Towlson 257
Paint—a good investment for the power plant. (Ed.)..... 785

PATENTS

—How to capitalize. J. H. Dayden..... 152
Pearl Street station model now in Ford's museum *661
Pelton, Lester A., inventor of waterwheel, to have monument *701

PIPING

—Accessible, an aid to operation. (Ed.).. 955
—At new Delray Power Plant, No. 3. Frank Thorp and R. M. Van Duzer, Jr. *956
—Chart for finding pressure drop in steam. W. C. Woodman..... 292
—Code for pressure, sponsored by A.S.M.E. 538
—Model specification for gas welded....1005
—Packing hose end. F. W. Bentley, Jr..*1047
—Pipe, inaccessible, repaired with aid of welding torch. P. W. Lamson..... 20
—Pipe-lines, draft-gage losses in. Lewis M. Ellison 20
—Placing soft rubber gaskets in big pipes. Adolf von Euw.....†728
—Sweating of, in power plants..... 60
—Why flanged pipe joints leak. Arthur McCutchan, 414; W. F. Schaphorst, 650, 1011; J. E. Noble..... 765
Piston rings, testing for, on Diesel engines. W. E. Warner 898

POWER

—Byproduct, from process steam. John F. Ferguson 480
—Charting, in plant of New Yorker hotel.*828
—Industry, peace and the (Ed.) 708
—Output and the worker (Ed.) 276
—Potential, in dynamic curves.....*791
—Production continues at high level..... 814
—Relation to industrial development shown by survey 659
—Responsibility of the, producers (Ed.) .. 874

POWER APPLICATION

—Manufacturer's burden (Ed.) 512
—Wrong application—nobody's baby (Ed.) 549
Power commission, competent men for (Ed.) 549
Power drive, select the, as a unit (Ed.).. 160
Power factor control, responsibility for (Ed.) 708

POWER PLANTS

—Alabama Power Co. Gorgas Plant.....*426
—Arapuni, New Zealand, plant completed. 565
—At the mine mouth (Ed.) 198
—Battersea station great engineering work.1046
—Beauty and the power house (Ed.) 41
—Better lighting for. A. D. Bell..... *6
—Boulder Dam, decision in power allocation 700
—Buenos Aires builds for beauty as well as power *801
—Clerk, duties of. Walter N. Polakov.. 97
—Cooling towers for Diesel. L. A. Pease.*886
—Cost accounting (Ed.) 512
—Cost system for. S. W. Allen and F. J. Fales 400
—Cost system for. G. H. Kimball..... 531
—Costs, classification of 558
—Costs, reduced by Diesels. G. Grow....*606
—Delray plant No. 3 of Detroit Edison Co. in operation. F. J. Chatel.....*710
—Delray plant No. 3 uses A.C. and D.C. motors on auxiliaries. H. E. Longmire *760
—Design, determined by engineering requirements. Riverbend Power Plant. D. Nabow *362
—Design, why architect should not. Andrew B. Duryee 212
—Designers need operating viewpoint (Ed.) 83
—Diesel, location depends on local condition Continental Ice Co., Maybrook, N. Y. L. A. Pease *282
—Diesel power costs. A. D. Couch..... 656
—Diesel power plants. Edgar J. Kates.... *10
—District heating by 108
—Economy, effect of CO_2, on. E. A. Uehling 138
—Electrical equipment and remote control of 891
—Emergency-service equipment (Ed.).... 668
—Executives, a word to, (Ed.) 668

(*) Illustrated (†) Diagram (Ed.) Editorial

Page

POWER PLANTS (Continued)
—Garlock Packing Co. plant to repay cost five years *279
—Hams Hall Station, Birmingham England burns pulverized coal *907
—Heat insulation practice in. L. B. McMillan 66
—High-pressure feed pumps in Mannheim Rheiman (Germany) plant. R. W. Miller *451
—Highest-head hydro plant in east, Waterville development, Carolina Power & Light Co. *374
—Hydro-electric, being built in Switzerland *73
—Idle equipment not part of power cost. Walter N. Polakov 525
—Improvements, why delay? (Ed.) 747
—In Tennessee River Basin map. J. A. Switzer *338, 342
—Industrial, maximum demand in the (Ed.) 669
—Is high efficiency worth the price? Theodore Maynz 1045
—Lack of balance between steam and hydro (Ed.) 993
—Layout and piping in new Delray No. 3 plant. Frank Thorp and R. M. Van Duzer, Jr. *956
—"Lexington" tied in with Tacoma power supply *1058
—Maintenance practice in. Walter N. Polakov 203
—"Mount Vernon" has two sources of power supply *764
—New York Steam Corp. Station A. nearing completion *739
—Noise silencing in. Hiram Percy Maxim. 528
—160,000-Kw. generator goes into operation at N. Y. Edison Co.'s plant. D. S. Snell *1030
—Output of hydro plant, increased by adjustable blade runners. Back River Plant of Montreal Island Power Co. J. F. Roberts *792
—Portable laboratory, of Santa Fé Railroad *48
—Power and process combinations that reduce costs. R. B. Purdy and L. H. Morrison *316
—Power dispatcher prevents losses. Walter N. Polakov 177
—Puget Sound Power & Light Co. Shuffleton plant *466
—Rehabilitating steam. C. F. Hirshfeld. 250
—Rehabilitation of steam (Ed.) 239
—Relation between steam and hydro. W. W. Tefft (Abstract of paper at A.S.M.E.) 924
—Rocky River plant has two 8,100-HP. pumps to supply water. Paul L. Heslop 1006
—Rouge River plant to have world's largest turbine-generator *994
—Saku plant of Kanto Hydro-Electric Power Co., earthquake proof. (Japan) K. Tsuruta *476
—Selecting control cable for, equipment. H. M. Friend *796
—Stand-by equipment in industrial (Ed.). 993
—State Line station opened.....*670, *876
—Supervision of (Ed.) 361
—Sweating of piping in..... 60
—Sydney, Australia develops large plant.. 468
—Task and bonus wage system helpful in. Walter N. Polakov 893
—Texas-Louisiana rebuilds Diesel plant without interruption to service. R. E. Hutchsteiner *970
—Turbine governing at State Line station *876
—Why delay improvements in. Warren B. Lewis 973

POWER PLANTS—CIGAR MANUFACTURE
—Up-to-date service in Bayuk Cigars Plant *590

POWER PLANTS—DAIRY
—Diesel engine in Walker-Gordon Co. plant. A. Grow *133

POWER PLANTS—DEPARTMENT STORES
—Macy's reduces fuel costs $20,000 a year *122, 123
—Part of the business (Ed.) 120

POWER PLANTS—GREENHOUSES
—Kay-Bee Co. *42

POWER PLANTS—HOTEL
—Generated or purchased power for the New Yorker. L. H. Morrison..... 830
Saving dollars in. Julius G. Berger.... 147

POWER PLANTS—LAUNDRIES
—Turbine installation at Ideal Laundry Co's. plant. (Denver). S. M. Culbertson *453

POWER PLANTS—MANAGEMENT
—Accurate repair records essential to efficient maintenance methods. Walter N. Polakov 290

Page

POWER PLANTS—MANAGEMENT (Continued)
—Care of instruments. Walter N. Polakov. 381
—Charts give best record of fuel utilization. Walter N. Polakov..... 412
—Clerk keeps all records. Walter N. Polakov 97
—Encourage betterment recommendations. Walter N. Polakov 636
—Good maintenance practice avoids lost time and other wastes. Walter N. Polakov 203
—Maintenance work and inspection should be scheduled. Walter N. Polakov.... 256
—Power dispatcher prevents losses. Walter N. Polakov 177
—Power-record man responsible for instruments and records. Walter N. Polakov 135
—Proper time keeping accurate basis for costing. Walter N. Polakov 448
—"Tickler" system for memoranda..... 592
Watch engineer—active head of power house. Walter N. Polakov 19

POWER PLANTS—OFFICE BUILDINGS
—Power supply study of typical office building. J. G. Berger 168

POWER PLANTS—PAPER MILL
—Five, pool power loads and sources. Henry W. Taylor..... 630
—Green Bay Wisconsin, Fort Howard Paper Co. uses process steam *1002
—John H. Heald Paper Co. combines power and process *332
—High-pressure plant at Rhinelander Paper Co. will save mill $100,000 per year. G. H. Suhs.....*514
—Southeastern Production Co. station at International Paper Co., Mobile, Ala. Wm. G. Allen *748

POWER PLANTS—STEAMSHIP
—"Bremen's" plant compact 192

POWER PLANTS—TEXTILE
—Fly-ash nuisance in, cured by filters. Charles D. Owen *131
—Glenlyon Print Works lowers costs by planned power development. S. W. Allen and F. J. Fales *200
—Process requirements dictate design of, Industrial Rayon Corp. *324
—Process steam and power combination in new plant of H. H. Hanes Knitting Co. P. L. Holland *321

POWER SERVICES
—In Industrial Rayon Corporation plant, at Covington, Va. *328
—In the Orient *450
—The New Yorker Hotel. (Nov. 26 '29—entire number)
—Tables showing equipment in New Yorker Hotel 865
—What they mean (Ed.) 820

PROCESS STEAM
—And power supplied from central station to paper mill, Southeastern Production Co. plant at International Paper Co. Mobile, Ala. Wm. G. Allen.....*748
—Byproduct power from. John F. Ferguson 480
—Combines with power to reduce costs. R. B. Purdy and L. H. Morrison....*316
—Co-ordinated with power in Fort Howard Paper Mill *1002
—Economy of hyproduct power (Ed.)..... 314
—Evaporators used to generate.....*335
—John H. Heald Paper Co. combines power and process *332
—Savings obtained in P. H. Hanes Knitting Co. through use of. P. L. Holland *321
Pulleys, balancing. W. D. Campbell, 728; G. Boyd 1010

PUMPS
—Brine, in refrigerating system of New Yorker Hotel *854
—Centrifugal fire, Chanin Bldg. N. Y. H. L. Smith *99
—Correcting pump troubles. Philip N. Emigh 58
—For air chamber. Nels Hilsen..... *59
—Improvised, for air chamber. L. G. Jones 220
—Mammoth, at New Orleans. C. P. Whitty 1011
—Problems of high pressure and high temperature in feed. R. W. Miller... 603
—Pumping station at Saginaw, Mich. has Diesel engines for reserve power. F. G. Gordon *1042
—Triplex, keeping in action while being repaired. Earl Pagett.....†295
—Turbine-driven, at Howard Bend Pumping Station *791
—Two 8, 1000-HP. supply water for Rocky River hydro plant. Paul L. Heslop..*1006
—Used with Diesel engine. G. H. Kimball 140
—Variable speed control for A.C. motors driving. P. B. Harwood.....*599

Page

PUMPS (Continued)
—Variable-stroke fuel, superior to bypass controlled, for high-speed solid injection Diesels. Alfred Peters.....*789
—Wood design for New Orleans.....*392
—Work of feed. K. P. Kammer 568

R

RECORDERS
—Boiler-water-level and CO_2 instruments in general use 126
—Circular-chart. W. E. Henthorne 383

RECORDS
—Accuracy in power plant. Leslie D. Cronin 130
—Advantages of indicating and recording instruments. George A. Horne. (Paper at annual convention of N.A.P.R.E.).. 773
Refractories, cooling, in boiler furnaces, theory and practice. Ralph A. Sherman *675, 753

REFRIGERATION
—Brine propeller shaft, fracture of. W. E. Warner 296
—Carbon-dioxide refrigerating machinery in New Yorker hotel *854
—Compression, multiple-effect. Edward Mahon *384
—Compression, multiple-effect in ice plant. M. F. Knox 102
—Compression, multiple-effect lowers power costs at East Shore Ice Co. F. P. McNeil *446
—Conditioned air cools R. H. Macy's....*240
—Corrosion of evaporator coils. W. E. Warner 384
—Design problems of CO_2 machine. Terry Mitchell 566
—Eliminating hazards in, plants. A. J. Authenreith 698
—Freezing the voice on Columbia record. G. Grow *86
—How time required to defrost coils was reduced. Lawrence B. Brown.....*765
—Inexpensive alterations in compressors increase output of Pasadena Ice Co. plant. James H. Hatch.....*246
—Lubrication for refrigerating plants. J. L. Rossenmiller. (Paper at convention of N.A.P.R.E.) 773
—No mystery in CO_2 refrigerating systems. Gerald Grow 722
—Two compressors operated on one suction line. Herbert N. Royden 570
—Types of CO_2 machines for refrigerating plants. John Cassiday *884

RESEARCH
—Engineering, in Germany. A. A. Potter. 31
—Industry must help schools in. C. W. Stevens 185
—Lubrication, being made on extensive scale. A. A. Potter 390
—Oil engine, at University of Toronto. Campbell Bradshaw.....*378
—Thermal, current events in field of. A. A. Potter 227
Rubber, holding sheet, while cutting. Frank W. Bentley *648

S

Safety—see Accidents and Accident Prevention
St. Lawrence project postpones need for steam plants in Ontario. (Interview by F. A. Gaby) 269
SAMPLER
—Continuous gas. O. H. Hedrich..... *21
—Continuous gas. Paul Speer..... 455
Scott, Charles F., awarded Edison medal of A.I.E.E. *1061
Screws, safeguarding long set, in emergencies. F. W. Bentley, Jr. *898
Shaft and rotor assembly facilitated by electric heaters. R. M. Alspaugh.....*288
Shannon River to turn wheels of industry.. 207
Smoke "detective." A. C. Lescarbouva..*138

SMOKE ELIMINATION
—Effective stack gas purification..... 304
—Good intentions and smoking chimneys (Ed.) 436
—In Calcutta 452
—Is bird-in-hand worth two in bush? (Ed.) 41
—Through improved boiler operation. Russell Melville *527

SOOT
—Blowing, with high-pressure steam. A. D. Duncan 1010
—Reason in all things (Ed.) 955
Speculation, recession of, is industry's opportunity (Ed.) 784
Speed reducers, proper selection of cuts operating costs. John W. Romig.....*403
Spillway, "Morning Glory," New England Power Ass'n, Davis bridge reservoir....*791
Statistics—another engineering science (Ed.) 992

(*) Illustrated (†) Diagram (Ed.) Editorial

STEAM — Page

—Calculating, consumption of small turbines. W. A. Blakeslee *602
—Changing from live, to exhaust. Thomas A. Walsh 183
—Competitor of volcanic 972
—Dissociation of, at high temperatures speeds corrosion 258
—International Steam Tables (Ed.)..... 398
—Nature's thermostat (Ed.)..... 2
—Passing, through reducing valve. T. N. Kelsey 730
—Substation of Rochester Gas & Electric Co. R. G. Standerwick *964
—Use, twice where possible (Ed.) 121
—Where efficient units cut marginal losses (Ed.) 746
Steam—see also Process Steam
Steam gage connection to prevent clogging. James E. Noble *805

STEAM PRESSURE

—And piping costs (Ed.) 121
—Controlling automatically. C. A. Cutting. *58
—Effect of, and temperature on thermal efficiency. Frank S. Clark (Abstract of paper at World Power Conference) .. 932
—Future of higher. Irving E. Moultrop. (Abstract of paper at A.I.E.E.).....1035
—Future trend of (Ed.) 915
—In industrial plants (Ed.) 3
—Increased power from high. R. B. Purdy and L. H. Morrison *316

STEAM TABLES

—Basic international, made public at A.S.M.E. meeting 923
—Basic, made public. (Official report of London Conference) 979

STOKERS

—Chain grate, efficient operation. P. M. Sykes and H. M. Matson 94
—Chain grate, efficient operation of. E. A. Uehling 416
—A "dud" (Ed.) 588
—Heating-plant, tests on. J. F. Barkley.. 289
—Underfeed, burn Indiana coal. Plant of Ball Brothers Co. *406
—Underfeed, in European developments... 87
Storage bin baffle for use with steam jet conveyors. Eugene Hahn.....*100

STREAM FLOW

—Forecasting, for power generation. Carroll F. Merriam..... 260
—Prediction for power generation. T. Maretsky 383
—Predicting, for power generation. W. R. Way 184
—Water predictions by lag of. A. Streif.. 609
Structures that live (Ed.) 549
Stuart, Herbert Ackroyd, a personal glimpse. John Sturgess 802
Stud extractor. R. H. Fulton.....*650
Stud extractor, practical. E. P. McNeil....*218
Superheaters, design of. F. Michel..... 220
"Supernatural Power, Inc." Elmer S. Smail *376
Switchboards, minature, with single-operator control, at Ohio Falls station. F. E. Jaquay *561
Switches, selecting, for steam plant auxiliary motors. B. G. Morris *522
Switzerland, new hydro-electric plant constructed in *73
Symbols used by U. S. Navy to identify lubricating oils. Lieut. C. A. Griffiths.. 212

T

Telephone system in New Yorker hotel....*856

TEMPERATURE GRADIENTS

—Cooling refractories in boiler furnaces, theory and practice. Ralph A. Sherman *675, 753
Tests, sea power, frustrated by wreck.... 428
Thermal efficiencies (Ed.) 437
Tools for compressing piston rings of Diesel engines. W. E. Warner *975
Tube, induction, effect on combustion. H. Misostow *484

TURBINES

—Adjustable-blade propeller runners, at Back River plant of Montreal Island Power Co. J. F. Roberts.....*792

TURBINES (Continued) — Page

—Blade failures investigated..... 679
—Blade erosion does not lower efficiency of 170
—Blades, how to detect cracked..... 452
—Double-rotation. O. A. Wiberg.....*756
—Features of the turbine room at State Line station *876
—Ford to install world's largest vertical compound 621, *662
—Governors, dismantling. Philip T. Hynes.*688
—Low-pressure, in steamships.....1004
—Making casing joints of, tight. Philip T. Hynes 938
—Multi-stage water heating improves economy of bleeder. M. D. Church.. 18
—Shaft packing 767
—Speed regulation of hydraulic. Forrest Nagler. (Abstract of paper at A.S.M.E.) 925
—Steam, adapted to laundries' power needs. Andrew A. Bato 569
—Steam, adapted to laundries' power needs. S. M. Culbertson *453
—Steam consumption of small. W. A. Blakeslee *602
—Trends in steam 890
—Turbine-generator sets for automatic steam substations (Rochester Gas & Electric Co.) R. G. Standerwick....*964
—Vs. engine for non-condensing operation. John F. Ferguson 383
—Vibration in steam. W. E. Warner.... 767
—World's largest, at Rouge River plant..*994
—World's largest single cylinder, at Cahokia plant. Union Electric Light & Power Co., St. Louis *578
"Turbovane" fan, New Gorgas Station, Alabama Power Co. *791

U

U. S. Reclamation Service, questionable policy of (Ed.) 992
Universal Craftsmen's Council of Engineers 27th annual meeting 306

V

VALVE

—Flow characteristics of standard-type. E. A. Baerer 494
—Operating overhead, from the floor. B. Meyers *1048
—Operation of reducing, improved by dashpot. W. A. Dow *1009
—Pressure-relief, safeguarding against rust. R. S. Wheaton 689
—Pump, disk repair. J. E. Noble.....*607
Safety, discharging into low-pressure turbine. J. J. Wynhoff..... 297
Ventilating, see Heating and Ventilating

VIBRATION

—Eliminating header. Lancelot Copleston. 937
—Of machinery now prevented by use of cork board 565

W

WAGES

—Task and bonus system helpful in power plants. Walter N. Polakov 893

WATER POWER

—Alabama Power Co. Gorgas Plant.....*426
—Applicants raise objections to Boulder Dam allocations 812
—Babbling brooks sources of revenue (Ed.) 513
—By-product from city water supply, Spartanburg, So. Carolina..... *84
—"Cheap." (Ed.) 785
—Engineering and economics—not political expediency (Ed.) 915
—Ford Motor Co. plant on Rouge River.. 449
—Full-time Federal Power Commission (Ed.) 954
—Interchange of, and community prosperity. F. A. Westbrook *56
—International Paper & Power Co. plant, Grand Falls, N. B. *542
—Muscle Shoals and Congress (Ed.) 548
—Perishable (Ed.) 746
—Potomac River Corp. Great Falls, Maryland 354
—Riverbend Power Plant. D. Nabow....*362

WATER POWER (Continued) — Page

—St. Lawrence again in limelight (Ed.).. 475
—St. Lawrence development, substantial start on (Ed.) 708
—Saluda River plant of Lexington Water Power Co. *640
—Seattle Municipal Light & Power Co. plant on Skagit River *622
—Tennessee Basin: survey of plants. J. A. Switzer *338, *342
—Waikaremoana plant opened in New Zealand 1059
—Waterville development of Carolina Light & Power Co. *374
Water supply system in New Yorker Hotel *856

WATER TREATMENT

—Filtration and lime soda plants. George Cawley *642
—Zeolite softeners. George Cawley. *716.
T. A. Walsh 1048
Water Treatment. See also Boilers: Feed Water.

WATER WHEELS

—Ancient, plodding, picturesque.....*524
—Mechanical vibration in penstocks where Francis-type, are installed. J. P. Den Hartog (Abstract of paper at A.S.M.E.) 925
—Propeller type. C. R. Martin (Abstract of paper at A.S.M.E.) 924
—Propeller-type in Back River development of Montreal Island Power Co. J. F. Roberts *792

WATER WORKS

—Diesel engines provide stand-by for motor-driven pumping station at Saginaw, Mich. F. G. Gordon.....*1042
—Diesel power for. A. D. Couch 656

WEDGES

—Spring, for leveling machinery. Howard Livingston 138
—Spring, for leveling machinery. Charles J. Mason 730

WELDING

—Ammonia compressor repaired by arc..*605
—Boiler drums (Ed.) 238
—European practice in. George A. Orrok.*576
—Model specification for gas welded piping 1005
—Of boilers, pressure vessels and steam lines (Abstract of paper at International Acetylene Ass'n. meeting).... 904
—Progress, backed by research (Ed.) 198
—Progress of, in power plant field 981
—Research develops new welding rods....1046
—Testing with X-ray and stethoscope....*465
—To fit the space *560
—Two outstanding papers at American Welding Society meeting (Ed.)..... 436
—Weld tester examines 20,000 rails a day.*464
"West Alsek" burns pulverized coal..... *33

WIRE ROPE

—Failures, causes of elevator. C. B. Garrison 647
—Research on (Ed.) 629
—Reserve strength of, not determined by reserve life. F. A. Annett.....*596
—Why reserve strength? (Ed.) 82

WOOD REFUSE

—Burned in same furnace with coal, at Mengel Co. H. R. Lambright.....*550
Working stresses for steels at high temperatures. D. S. Jacobus (Abstract of paper at A.S.M.E.) 923

WORKMEN'S COMPENSATION LAW

—Legal phase of employment. Arthur L. H. Street 795
—Things one should know about. Leo T. Parker 110

WORLD ENGINEERING CONGRESS

—Acclaimed success *775

WORLD POWER CONFERENCE

—High spots of the technical sessions.... 889
—Personal impressions of problems discussed at. Kendall K. Hoyt..... 888
—Plans announced 112

X

X-RAY

—In industry 227

(*) Illustrated (†) Diagram (Ed.) Editorial

AUTHOR INDEX

ADAMS, ORVILLE. Rocker type piston pin bearing for Diesel engine †405.
Allen, S. W., and F. C. Fales. Glenlyon Print Works lowers power costs by planned power development *200. Practical cost system for industrial power plants 400.
Allen, William G. Power and process steam supplied from central station to paper mill *748.
Alspaugh, R. M. Electric space heaters facilitate shaft and rotor assembly *288.
Anderson, John L. Starting a carbonic acid compressor 972.
Annett, F. A. Electrical equipment, modern and reliable—a building necessity *847. Meters reduce operating costs in office buildings *438. Reserve strength does not determine wire rope's reserve life *596.
Authenreith, A. J. Eliminating hazards in refrigerating plants 698.

BALL, ROBERT. Precautions to be observed when grounding electrical equipment 482.
Barkely, J. F. Tests on small heating-plant stokers 289.
Bell, A. D. Better lighting for the power plant *6.
Berger, J. G. Power supply study of a typical office building 168.
Blackall, A. C. London has problem of deleterious flue gases 16.
Blakeslee, W. A. Calculating steam consumption of small turbines *602.
Bradshaw, Campbell. Oil engine research at the University of Toronto *378.
Bradshaw, Philip C. License regulations for engineers in Quebec 1055.
Braunig, V. H. Operating experience proves lignite satisfactory fuel 13.
Brockner, R. P. Heating in automatic substations 373.
Bruckner, Robert E. Influence of fuel on Diesel engine operation *88.

CASSIDAY, JOHN. Types of CO_2 machines for refrigerating plants *884.
Cawley, George. Industrial water treatment (1) Filtration and lime soda plants †642. (2) Zeolite softeners †716.
Chatel, F. J. New 100,000 kw. Delray power plant placed in operation *710.
Christie, A. G. Handling the peak-load problem *179.
Church, M. D. Multi-stage water heating improves economy of bleeder turbines *18.
Clark, Frank S. Steam pressure and temperature 932.
Couch, A. D. Diesel power for water-works 656.
Craig, Ollison. Some economic considerations of water-wall installations 658.
Cronin, Leslie D. Need for accuracy in power plant records 130.
Culbertson, S. M. Steam turbine well adapted to laundries' power needs *453.

DAYDEN, J. H. How to capitalize a patent 152.
Duryee, Andrew B. Why the architect should not design the power plant 215.

EDGERLY, H. S. Potential indicating lamps for A.-C. watt-hr. meters *176.
Emerson, R. F. Riderless A.C. larry cars for handling coal *677.
Evans, J. N. Effect of rating on boiler water samples 520.

FALES, F. C., and S. W. Allen. Glenlyon Print Works lowers power costs by planned power development *200. Practical cost system for industrial power plants 400.
Ferguson, John F. Byproduct power from process steam 480.
Ford, Louis R. Maintenance of large Diesel engines 228.
Fox, George C. Dual-purpose boiler for power and testing †*244.
Fraser, Jeffrey. Synchronous motors increase in size and applications *8.
French, H. M. Synchronous motor improves power plant operation *883.
Frieday, J. A., and J. H. Lawrence. Land, a negligible factor in industrial power costs. (Abstract of paper at Pittsburgh section of A.I.E.E.) 1054.
Friend, H. M. Inspecting and testing procedure for control cable *881. Selecting control cable for power plant *796.
Frisch, Martin. Relative economy of pulverized coal, oil and gas as boiler plant fuels 736.
Frost, V. M., and W. R. Rippe. Chlorinating circulating water keeps condenser clean *961.

GARRISON, C. B. Causes of elevator wire-rope failures 647.
Gordon, F. G. Diesel engines provide stand-by for motor-driven pumping station *1042.
Griffiths, Lieut. C. A. U. S. Navy uses symbols to identfy lubricating oil 212.
Grow, G. Diesel engines reduce municipal power costs *606. Freezing the voice on a Columbia record *86. Power services in a milk plant *133. There is no mystery in CO_2 refrigerating systems 722.
Gulick, J. Why not gas as a general fuel? 98.

HARTMANN, O. H. Schmidt-Hartmann boiler —a reply to Dr. Loeffler †696.
Harwood, P. B. Variable speed control for A.C. motors driving pumps *599.
Hatch, James H. Ice plant's output increased 75% by inexpensive alterations in the compressors *246.
Hayward, L. W. Modern feed-water treatments are of four kinds 936.
Hecht, Max, and D. S. McKinney. Boiler metal cracking—a case study *633.
Hedrich, O. H. Continuous gas sampler †21.
Hill, A. W. New design features in oil circuit breakers *444.
Hill, E. H. Electric steam generator replaces coal-fired boiler *683.
Hirshfeld, C. F. Rehabilitation of power plants 250.
Holland, P. L. Power and industrial steam plant built for Hanes Knitting Co. *321.
Howell, K. B. Mill reaps benefits from reconstruction of boiler plant *1039.
Hoyt, Kendall K. Personal impressions of World Power problems discussed at Tokyo Conference 888.
Hughes, Charles H. Close tolerance in Diesel engines makes for better operation *410.
Huntington, W. S. How the heat-work diagram solves air-compression problems †637. New air chart cuts compression calculations 518.
Hutchsteiner, R. E. Texas-Louisiana Co. rebuilds Diesel power plant without interruption to service *970.

JAQUAY, F. E. Miniature switchboards give control to single operator *561.
Joos, C. E. Conversion of sodium carbonate to caustic soda within steam boilers 762.

KALB, W. C. What the power engineer can do for brush standards †*46.
Kates, Edgar J. Diesel power plants should be carefully planned *10.
Kauffman, H. L. Color should not be made criterion in oil specification 243. Measuring fuel oil in tank cars 930.
Keighton, Walter B. Centrifuge in oil purification †483.
Kentish-Rankin, I. L. Treat low-voltage circuits with caution 207.
Kohn, G. H. Truck-type switchboards for power control in public buildings *166.
Kreisinger, Henry. Application of pulverized coal to steam boilers 447.

LAMB, J. F. Power-factor correction reduces cost of electricity in buildings *204.
Lambright, H. R. Three hundred per cent rating obtained with wood refuse and coal in the same furnace *550.
Lauffer, W. G. Simplifying the setting of boiler meters 144.
Lawrence, J. H., and J. A. Frieday. Land, a negligible factor in industrial power costs. (Abstract of paper at Pittsburgh section of A.I.E.E.) 1054.
Lewis, Warren D. Organizing operation *860.
Lloyd, J. D. Results of European research in the aging of turbine oils 800.
Longmire, H. E. A.C. and D.C. motors drive power plant auxiliaries *760.
Low, F. R. Foreword, The conqueror 745. Controlled monopoly vs. public ownership 707. Courtesy 359. Give the engineer a chance 435. High-class power plant engineers 667. International heat unit 953. Jetsam of progress 873. Keeping up with the job 511. Labor makes the market 397. Limit of devotion 547. Make a note of it 783. Making public opinion 1. Man power of the plant 275. Merry Christmas! 991. N.A.P.E. and education 313. Power at less than cost 197. Power show 820. Propaganda 587. Prospects of the power plant engineer 627. Robot of the boiler room 913. Shorter days or fewer years 39, 237. Smoke prevention 81. Standardization 473. Valedictory 1027. Value in high temperatures 159. Whom do you know? 119.

McCLAY, G. F. Connecting-rod bearing adjustment *931.
McCutchan, Arthur. Why flanged pipe joints leak *414.
McKinney, D. S., and Max Hecht. Boiler metal cracking—a case study *633.
McMillan, L. B. Heat insulation practice 66.
MacNeil, F. P. Power costs lowered by multiple-effect compression *446.
Magruder, William T. Graduate and his work 424.
Matson, H. M., and P. M. Sykes. Chain grate stokers 94.
Maxim, Hiram Percy. The engineer 969. Silencing the big noise 528.
Maynz, Theodore. Is high efficiency worth the price? 1045.
Melville, Russell. How operation of H.R.T. boilers was improved and smoke eliminated, diag. 527.
Miller, R. W. Design of high-pressure feed pumps in a German plant *451.
Misostow, H. Study of the induction tube and its effect on combustion, diag. 484.
Mitchell, Terry. Design problems of a CO_2 refrigeration machine, diag. 566.
Morris, B. G. Selecting switches for steam plant auxiliary motors *522.
Morrison, L. H. Combustion devices of solid-injection, Diesel *719. Generated or purchased power for the New Yorker 830.
Morrison, L. H., and R. B. Purdy. Combinations of power and process that reduce costs *316.
Moss, Sanford A. Design for volume change differentiates compressors from blowers *564.
Moultrop, Irving E. Future of higher steam pressures. (Abstract of paper at Great Lakes District meeting of A.I.E.E.) 1035.

NABOW, D. Engineering factors that determined Riverbend Power Plant design *362.

OBERT, C. W. Welding of boilers, pressure vessels and steam lines, an outlook of the present situation 904.
O'Neill, Haylett. Boiler efficiencies with natural gas 211.
Orrok, George A. European practice in welding boilers, drums and tubes *576.
Owen, Charles D. Fly-ash nuisance in textile plant cured by filters *131.

PEASE, L. A. Cooling towers for Diesel plants *886. Diesel drives should be planned to meet individual factory requirements *486. Diesel plant's location depends upon local conditions *282. Quantity and quality requirements for Diesel cooling water *562. Selection of Diesels depends upon load conditions *208.
Peters, Alfred. Design of injection system determines fuel consumption *789.
Phillips, Marin. Grounding electrical equipment makes operation safe *91. Making high-voltage equipment safe to work around 5. Motor performance enhanced by careful inspection 601. Proper inspections make electrical equipment safe 248. Searching out causes of commutator sparking *966. Taking the safety out of safety switches 294.
Pigott, R. J. S. Power and heat in industrial plants 684.
Pisow, B. H. Pulverized coal enters the hotel field *836.
Polakov, Walter N. Accurate repair records essential to efficient maintenance methods 290. Charts give best record of fuel utilization 412. Classification of costs for industrial power plants 558. Definite system of stores keeping cuts power plant costs *492. Good maintenance practice avoids lost time and other wastes 203. Good plant management depends on care of instruments 381. Maintenance work and inspections should be scheduled 256. Overhead on idle equipment not a part of power cost 525. Power plant clerk keeps all records 97. Power-record man responsible for instruments and records 135. Proper time keeping gives accurate basis for costing 448. Routine to encourage betterment recommendations 636. Steam plant power dispatcher prevents losses 177. Task and bonus wage system helpful in power plants 893. Watch engineer is active head of power house 19.

Potter, A. A. Current events in the field of termal research 227. Engineering research in Germany 31. Lubrication research being made on an extensive scale 390. Research in boiler feed-water purification 774. Research progresses on metal cutting, wire rope; A.S.M.E. Lubrication Committee to spend $20,000 539.
Powell, Sheppard T. Recent developments in boiler feed-water treatment. (Abstract of paper at A.W.W.A. convention) 809.
Praetorius, E. Reducing internal cooling of boiler units 674.
Purdy, R. B. Comfort while the city swelters *843. Heat for 3500 room guests *840.
Purdy, R. B., and L. H. Morrison. Combinations of power and process that reduce costs *316.

RALSTON, LOUIS T. M. Heating the highest building *1037.
Read, E. K. Oil switch lift rods made of improved material *646.
Reynolds, Herbert B. Schedule for economic boiler loading 553, 593.
Rippe, W. F., and V. M. Frost. Chlorinating circulating water keeps condenser clean *956.
Roberts, J. F. Adjustable-blade runners increase hydro plant output *792.
Remig, John W. Proper selection of speed reducers cuts operating costs *403.

SHERMAN, RALPH A. Cooling refractories in boiler furnaces. (1) Theory 675. (2) Practice 753.
Shirley, A. A. Centralized panels for office building motor control *724.
Smail, Elmer S. Mr. Buncombe explains "Supernatural Power, Inc." *376.
Smith, H. L. Largest centrifugal fire pump in an office building *99.
Snell, D. S. 160,000-kw. generator goes into operation at N. Y. Edison Company's plant *1030.
Snow, C. T. Installation of engines cuts down coal bill *4.
Standerwick, R. G. Turbine-generator sets for automatic steam substations *964.
Street, Arthur L. H. Accidents to engineers 715. Legal phase of employment 795.
Sturgess, John. Personal glimpse of Herbert Ackroyd Stuart 802.
Suhs, G. H. Modern high-pressure plant will save paper mill $100,000 per year *514.
Swain, P. W. Ingredients of heat balance *823. Where are we headed in engineering education? 171.
Switzer, J. A. Power development in the Tennessee basin *338.
Sykes, P. M., and H. M. Matson. Chain grate stokers 94.

TAYLOR, FRANK A. Historic oil engine added to collection of National Museum *409.
Taylor, Henry W. Five paper mills pool power loads and resources 630.
Thompson, L. N. Propeller-type blowers cool Hell Gate generators *127.
Thorp, Frank, and R. M. Van Duzer, Jr. Models make for accessibility in Delray piping *956.
Touton, Rush D. Modern cigar making demands up-to-date power services *590.
Towlson, J. T. Frictionless metal packing †257.
Tsuruta, K. Saku hydro plant, des.gned earthquake proof †*476.

VAN DUZER, R. M., and Frank Thorp. Models make for accessibility in Delray piping *956.

WADE, E. A. Alignment chart for calculating alkalinity in boiler water 1041.
Wagner, M. E. Causes of and remedies for faulty induction-motor operation *370. Locating winding faults in alternating-current motors *680. Making D.C. generators build up voltage *253. Why D.C. generators reverse polarity *489.
Walker, M. A. Primary-resistance vs. compensator-type starters 799.
Weiss, Charles R. Finished steel chain drives have wide range of applications *174.
Westbrook, Francis A. Interchange of power has built community prosperity *56.
Wiberg, O. A. Double rotation turbine *756.
Wilson, P. H. Human element big factor in production costs 95.
Woodman, W. C. Chart for finding pressure drop in steam piping 292.

YEARSLEY, F. W. Forty-three stories of vertical traffic *850.
Yoder, T. D. Why it does not pay to return boiler blowoff to the feed water softener 442.